



7.1.2 Alternate sources of energy and energy conservation measures agency.

Alternate sources of energy and energy conservation measures agency.

**Service report
LED Bulbs**

LED BULB MAINTENANCE

S.No	Date	Time	Description	LED	BULB	Location	Remarks	Signature	
1)	29/01/22	10.00 Am	20w LED 4' Fibry	NO	03	office 3	K. Hapi	K. Hapi	
2)	"	"	Insulation Tape	NO	01	main Building			
1)	29/01/22	12.30pm	20w LED 4' Fibry	NO	06	Animal house	K. Hapi	C. S. Subash	
2)	"	"	40 Sgm 3 core Flexible cable	meta.	30	"			
1)	31/01/22	11.00am	20w LED 4' Fibry	NO	01	mess	Shopee Room outside	Laxman	C. S. Subash
1)	01/02/22	3.00pm	20w LED 1' Fibry	NO	01	Joice	Laxman	C. S. Subash	
2)	01/02/22	4.30pm	20w LED 2' Fibry	NO	01	shop			
1)	02/02/22	9.00am	20w LED 2' Fibry	NO	07	mess	Stone Bazaar side	K. Hapi	C. S. Subash
2)	"	"	20w LED 4' Fibry	NO	01	Animal house			
1)	04/02/22	9.30am	SA 3pin ply Tap	NO	01	Animal house	Bio - Tech	K. Hapi	C. S. Subash
2)	04/02/22	11.00am	20w LED 4' Fibry	NO	04	Bio - Tech Lab	Laxman	C. S. Subash	
1)	05/02/22	11.30am	SA Switch	NO	12	mess	K. Hapi	C. S. Subash	
2)	"	"	SA socket	NO	01	Dining hall			
3)	"	"	SA switch	NO	01	"			
1)	06/02/22	10.00am	20w LED 4' Fibry	NO	01	Kitchen mess	Labo shed	K. Hapi	C. S. Subash
1)	10/02/22	11.00am	20w LED 4' Fibry	NO	01	Boys hostel	Room: AR 19	K. Hapi	C. S. Subash
1)	13/02/22	10.00am	20w LED 4' Fibry	NO	01	Boys hostel	Room: OF-2	Laxman	C. S. Subash
2)	"	"	20w LED 4' Fibry	NO	01	Labo shed			
3)	"	"	20w LED 4' Fibry	NO	01	main building			
1)	14/02/22	11.00am	20w LED 4' Fibry	NO	01	ladies hostel	Boat house	K. Hapi	C. S. Subash
2)	"	"	20w LED 4' Fibry	NO	01	Boys hostel			

DR. B. R. RAMESH BABU
B.E., M.E., M.S (Engg), Ph.D.
PRATYUSHA ENGINEERING COLLEGE
Ponnamalle to Tiruvallur High Road,
Tiruvallur - 601 305

LED Bulb as per pool condition
verified
C. S. Subash

1)	17/02/22	9.30am	15A SS Compaired	NO
2)	"	11.30am	Insulation Tape	NO
1)	21/02/22	10.30am	20W LED Fighb' 4'	NO.
2)	"	"	10W LED Bulb.	NO
1)	23/02/22	9.00am	20W LED Fighb' 4'	NO
2)	"	"	10W LED Bulb 2'	NO
1)	25/02/22	9.30am	Insulation Tape.	NO
1)	28/02/22	9.00am	Insulation Tape	NO.
1)	01/03/22	10.00am	SS Switck.	NO.
2)	"	"	10W LED Bulb.	NO
3)	"	"	20W LED Fighb' 4'	NO
1)	01/03/22	12.00pm	20W LED Fighb' 4'	NO.
2)	02/03/22	2.30pm	10W LED Fighb' 2'	NO
1)	03/03/22	9.00am	20W LED Fighb' 4'	NO
1)	07/03/22	8.45am	3A 3 PUC genlock	NO
2)	"	"	Insulation Tape.	NO
1)	08/03/22	9.30am	SS Switck.	NO
2)	"	"	SS socket.	NO.
1)	10/03/22	8.45am	Insulation Tape	NO.
1)	14/03/22	2.15pm	20W LED Fighb' 4'	NO.
2)	"	"	SS Switck.	NO.

01	of	Temple	K.hopi.	C.T. Subath
02	of	Statist cable - Pl. near	K.hopi.	C.T. Subath
01	of	workshop.	Bathway light	K.hopi.
02	of	"	"	C.T. Subath
01	of	Boys Hostel	Room no. - 09/117	K.hopi.
01	of	(Bulb) "	Common.	C.T. Subath
04	of	Street light cable wire.		K.hopi. C.T. Subath
03	of	street light cable wire.		K.hopi. C.T. Subath
03	of	Boys hostel. Ckkae in floor.		K.hopi.
01	of	Ladies Hostel.		Laxman C.T. Subath
01	of	"		Laxman.
02	of	mess.	Kichan Stone.	K.hopi. C.T. Subath
01	of	Temple.		K.hopi.
03	of	COBALT - Stat Room.		K.hopi. C.T. Subath
10	of	English Lab. main Building		K.hopi. C.T. Subath
01	of	"		"
02	of	English Lab. main Building		K.hopi. C.T. Subath
02	of	L.H.S English Lab.		K.hopi. C.T. Subath
01	of	"		"
01	of	"		"
01	of	"		"

Dr. B.R. RAMESH BAPU
 B.E., M.E., M.S. (Engg.), Ph.D.
 BRATHYUSHA ENGINEERING COLLEGE
 Besant Nagar to Thiruvallur High Road,
 Chennai - 602 024

S/N	DATE	TIME	PARIT/BL/CLS	UNITS	Qty	STOCK	Building	area	Remarks
1)	15/03/22	8.30am	2+2 PVC BOX.	NO	01	-NIL-	main Builng	Column?	
2)	"	"	5A switch	NO	04		"	mangar	
3)	"	"	5A socket	NO	01		"	Capain	k.hopi
4)	"	"	3/4 Cashy pitney	NO	04	-05-	"	"	
5)	"	"	Insulation Tape	NO	01	-08-	"	"	
6)	"	4.00pm	20W LED Fitting 4'	NO	01	-05-	Boys Hostel	AF-5	k.hopi
1)	16/03/22	9.30am	20W LED Fitting 4'	NO	01	-04-	Kitchen	mess	k.hopi
2)	16/03/22	2.15pm	water dispensers (new unit)	NO	02	-NIL-	Boys hostel	Ladies hostel	k.hopi
3)	"	3.15pm	20W LED Fitting 4'	NO	01	-03-	Boys Hostel	Room no. Ch-10	k.hopi
1)	17/03/22	9.00am	Fan (rewinding)	NO	01	-14-	Bio-Tech lab	main Building	k.hopi
2)	"	4.00pm	Fan (rewinding)	NO	01	-13-	Ladies hostel	Room no. 11	k.hopi
3)	"	"	Fan (rewinding)	NO	01	-12-	Labor shed	Vinayagam Room	Vinayagam
1)	18/03/22	10.30am	Switch Type regulator	NO	01	-20-	Ladies Hostel	Room no: 112	k.hopi
2)	"	"	Fan (rewinding)	NO	01	-11-	Boys Hostel	Room no: MS-9	k.hopi
1)	19/03/22	9.00am	20W LED Fitting 4'	NO	02	-01-	main Building	Room no: 10, 10	Laxman
2)	"	2.30pm	Fan (rewinding)	NO	01	-10-	main Building	1st floor clinic	k.hopi
1)	20/03/22	4.00pm	20W LED Fitting 4'	NO	01	-NIL-	Boys Hostel	Room no: AS-17	Laxman
2)	"	"	2.5MFD Fan capacitor	NO	02	-08-	"	Tv Hall	Laxman
3)	"	"	25W LED Fitting 4'	NO	01	old fitting	Boys Hostel	Room no: AS-20	Laxman
1)	21/03/22	9.50am	low LED Fitting 2'	NO	02		Ladies hostel	All LED bulbs in service	
2)	"	"	2.5MFD capacitor	NO	02	-06-	Ladies hostel	in good condition	
3)	"	"	Switch Type regulator	NO	02	-18-	"	"	Laxman

PRINCIPAL

Verified
A. S. Subash

DR. B. R. RAMSHP DAJU
B.E., M.E., M.S (Engg), P.R.D.
PRINCIPAL
PRATHUSHA ENGINEERING COLLEGE
Pochampalle to Tirumala Road,
K. Chinnai - 502256